

Lucas Nülle is proudly and exclusively  
represented in Australia and New Zealand by



**Training Systems Australia**


First in Vocational Training Equipment  
A Division of Pullman Learning Group

300 Centre Road, Bentleigh, Victoria, 3204  
p: +613 9557 7993 e: [info@trainingsystemsaustralia.com.au](mailto:info@trainingsystemsaustralia.com.au)

**LN**  
LUCAS-NÜLLE

# ELECTRICAL POWER ENGINEERING

Smart Grid | Microgrid | Renewable Energies





# CONTENTS

<b>Qualifications for Industry .....</b>	<b>4</b>	<b>"Smart Grid" – Intelligent Power Supply Systems .....</b>	<b>10</b>
Training Systems for Power Engineering		From the experiment stand to the smart grid .....	12
<b>More than a Training System .....</b>	<b>6</b>	<b>Basic Smart Grid Equipment Set.....</b>	<b>14</b>
Complete solution for automation laboratory		Smart Grid Extensions	
		<b>Basic Microgrid Equipment Set.....</b>	<b>16</b>
		Microgrid Extensions	
		<b>Industrial Cyber Security .....</b>	<b>18</b>
		<b>SCADA for Power Engineering LAB .....</b>	<b>21</b>
		SCADA for Power Lab in the Smart Grid .....	22
		SCADA Remote Control / Cyber Security .....	24
		SCADA Net / SCADA Tools .....	26
		<b>Power Generation with Renewable Energy .....</b>	<b>28</b>
		Professional Photovoltaic Systems .....	30
		Investigating battery storage units with PV systems.....	31
		Advanced photovoltaics .....	32
		Solar pump systems .....	33
		Wind power plants.....	34
		Photovoltaic hybrid systems .....	36
		Advanced fuel cell technology .....	38
		<b>Power Generation .....</b>	<b>40</b>
		Automatic generator control and synchronisation .....	42
		Power plants.....	44
		Generator protection .....	46
		<b>Transformers .....</b>	<b>48</b>
		Transformers and transformer protection.....	50
		Current and voltage transformers .....	52
		<b>Power transmission.....</b>	<b>54</b>
		High voltage DC power transmission.....	56
		Transmission lines .....	58
		Line protection .....	60
		<b>Power distribution.....</b>	<b>62</b>
		Three-phase double busbar system.....	64
		<b>Energy management systems .....</b>	<b>66</b>
		Energy management.....	68
		Protection of electrical loads.....	70
		<b>Fundamentals of power engineering.....</b>	<b>72</b>
		UniTrain – designed for motivational learning .....	74

# QUALIFICATIONS TO MEET NEW CHALLENGES



## Training Systems for Power Engineering

### **The transformations affecting electrical power supply...**

The amount of renewable energies in use compared to fossil fuels such as coal, oil and gas continues to grow more and more globally. Thanks to innovative technologies and concepts, engineering opportunities are constantly gaining ground. Solar energy, wind power, hydrogen and biomass are well established and in use as environmentally friendly energy sources. Fluctuations in power generation are compensated for using energy management, energy storage technologies and sector coupling. In order for this trend to keep its momentum going and make the energy revolution a success, well-trained and qualified experts are needed worldwide.

### **... are having a major impact on education and training**

Changing demands call for new, modern, practice-oriented training systems. These systems instruct trainees on the most up-to-date technology and provide them with the requisite skills.



**Learning with Lucas-Nülle**

The vocational training systems are both modular and scalable, making them the innovative and future-proof foundation for excellent training and education in the area of power engineering.

**Benefits**

- Linking theory with practice
- Teaching and learning at your own pace
- Total DO-IT-YOURSELF learning
- Combines software and hardware
- Labsoft contains graphic animations and virtual instruments
- Software can be edited (language, teaching material, exams)

# MORE THAN A TRAINING SYSTEM

Vivid presentation of complex educational content by means of modern learning media



**eCO<sub>2</sub>Train**


**Renewable Energies**  
Wind Power, Fuel Cells, Photovoltaics





### Smart Grid

Measure and control the entire power flow using the SCADA system




### Complete solutions for electrical power engineering

covering everything from production, transmission and distribution all the way to consumption



### Multimedia-based imparting of knowledge using UniTrain





# SMART GRID







**Nuclear Power Plant**



**Thermal Power Plant**



**Hydro Power Plant**



**Solar Power Plant**

With the aid of intelligent power supply systems, smart grids and microgrids, the capacity utilisation of existing infrastructure is boosted and the cost of expanding physical infrastructure is minimised both in terms of time and capital. There is also more and more demand on the low-voltage grid due to the increasing amount of renewable energies being used. The low-voltage grids are now no longer just receiving power from the distribution grids and redistributing it but also doing the job of feeding decentrally generated electricity back into the distribution grids. Smart grids and microgrids, i.e. grid control innovations, modern automatic control technology and modern instrumentation and control technology, are supposed to solve these additional challenges without having to have a huge expansion to the physical grid's capacity.

**Wind Power Plant**

# "SMART GRID" – INTELLIGENT POWER SUPPLY SYSTEMS



## Totally equipped for the future:

### Smart Grids inside the Power Engineering Laboratory

The Smart Grid is comprised of the power generation equipment sets with the aid of conventional and renewable energies, transmission, distribution, protection and energy management. Because the training system features a high degree of modularity, these equipment sets can be modified and expanded to fit any requirements.

### The Networked Power Engineering Laboratory

The equipment sets make it possible for training systems to be combined electrically and in terms of their IT infrastructure for power generation, transmission, distribution, protection and energy management. This means the impact of renewable energy sources on power generation can be studied in the laboratory. The energy management system can demonstrate, among other things, the needs-oriented control of power loads. Any number of other scenarios can also be simulated and studied.






Video: Discover your smart grid solution!



### Benefits


- Huge selection of topics covering power generation, transmission, protection and energy management
- Modularly designed hardware for the simulation of a host of scenarios
- Educationally designed SCADA for carrying out practice-oriented experiments and exploring scenarios
- Digital multimedia courses with guided experiments
- Can be expanded by adding machine and drive technology experiment systems to explore energy-efficient drives and power electronics (using Matlab® Simulink®) as additional dynamic loads inside the smart grid





# FROM THE EXPERIMENT STAND TO THE SMART GRID

## SCADA



Smart Grid




Cyber Security



### Flexible Configuration

Thanks to the system's modularity, the equipment can be configured very flexibly. In just a few minutes, complex applications can be set up on experiment trolleys and modified for flexible instruction. The combination of systems permits any number of scenarios to be set up all the way to the microgrid and smart grid.



**Renewable Energies**




**Fault ride-through**



**Configurable for any budget**

Procurement can be carried out step-by-step. Start with a minimal equipment set and build your system up at any time into a sophisticated power engineering laboratory.

# BASIC SMART GRID EQUIPMENT SET



## Smart Grid – Control Centre - Energy Management

This equipment set is the heart of the smart grid inside the power engineering laboratory. In addition to power generation, transmission and distribution, the SCADA software is used to collect all the values and trigger corresponding switching operations. This can be done manually and also automatically via Soft PLC. The smart grid control centre detects and monitors the feed-in of generated energy and any load variations and also carries out corresponding countermeasures to keep the power grid stable.

## Training contents


- Three-phase double busbar system
- Investigations on three-phase power lines
- Overcurrent time protection for power lines
- Complex loads, energy consumption metering and peak load monitoring
- Manually activated and automatic reactive power compensation
- Load management – demand-side management
- Intelligent control of power generators and consumers



# EXTENSIONS: SMART GRID



EPH3 - Professional Photovoltaics



EWG1 - Wind power plants (turbines)



EDC - High-Voltage DC Power Transmission



EUG - Synchronisation Circuits



ECS1 - Industrial Cyber Security



EUK - Pumped Storage and Conventional Power Plants



EUT - Investigating Transformers



EUL - Power Transmission Lines



ELP - Line Protection

# BASIC EQUIPMENT SET: MICROGRID



## Off-grid parallel mode / Microgrid

When this standalone system is coupled to the smart grid, then it is referred to as the microgrid. It has three operating modes: on-grid, off-grid and dual-mode. Microgrids will play a central role in the smart grids of the future.

### Benefits

- Reduction of power transmission and transformer losses
- Independence from large power utilities
- Smart grid as a back-up system
- Intelligent power supply control and load control using SCADA
- Power generation with renewable energies
- Optimum current quality, reliability and sustainability

## Training contents

- Automatic control of several generators in off-grid operation
- Automatic control of several generators in grid-parallel operation
- Coordination of energy demand and generation in off-grid mode
- Deployment of modern IT technology such as networked sensors/actuators, PLC control and SCADA user interface
- "Smart Metering" of a balance node to make a subnetwork autonomous.
- Manual control
- Automatic voltage control
- Automatic frequency control
- Automatic torque control
- Automatic cos-phi control
- Droop control

Order no. EMG



# EXPANSIONS: MICROGRID



EMG 2 – Additional secondary system  
(up to three supplements)



EPH 3 – Professional Photovoltaics



EWG 1 – Wind power plants (turbines)



EUG 3 – Pumped Storage Power Plant



EUC 2 – Dynamic loads




ECS 1 – Industrial Cyber Security





# INDUSTRIAL CYBER SECURITY



In modern power grids, the subject of cyber security is absolutely imperative. Using a host of exercises, we train all of the conventional safety measures used to combat cyber attacks on power engineering systems.


## Training contents

- Code of conduct for operating such systems
- Physical measures
- Configuration of a security LAN router
- DHCP Server
- Firewall
- Open VPN
- Analysis of network protocols
- Secure Shell (SSH)
- HTTP(S)
- Remote monitoring with Sinema
- Access control / access restriction
- Authentication / clearance
- Encryption
- Certificates

```

192.168.1.1 - PuTTY
show flow-control [ interface <interface-type> <interface-id> ]
show fwlog [ { info | warning | critical } ]
show history
show ip
show interface atm [ { Vlan <vlan-id (1-4094)> | <interface-type> <interface-id> } ]
show interface [ { <interface-type> <interface-id> | vlan <vlan-id(1-4094)> } ]
show interfaces [ { <interface-type> <interface-id> [ { description | status } ] | { Vlan <vlan-id(1-4094)> } ] ]
show ip arp [ { Vlan <vlan-id(1-4094)> | <interface-type> <interface-id> | <ip-address> | <mac-address> | summary | information } ]
show ip dhcp client
show ip dhcp client state
show ip dhcp-server bindings
show ip dhcp-server pools [pool-id (1-3)]
show ip http secure server status
show ip http server status
show ip interface [ { Vlan <vlan-id(1-4094)> | <interface-type> <interface-id> | loopback } ]
show ip route [ { <ip-address> [ <mask> ] | connected | static | dhcp } ]
show ip routing
show ip ssh
--More--

```



**+ Open Source Network Analysis**

## Industrial Security LAN Router

The SCALANCE S615 LAN router is used to protect equipment/networks in automation operations and to provide security for industrial communications via VPN and firewalls. Simple project planning is possible using web-based management.

## Security functions


- Set up firewall: stateful inspection
- Product function / for VPN connection: IPsec, OpenVPN (as client for SINEMA RC)
- Type of encryption algorithms (VPN connection): AES-256, AES-192, AES-128, 3DES-168, DES-56
- Type of authentication procedures (VPN connection): Preshared Key (PSK), X.509v3 certificate
- Type of hashing algorithms (VPN connection): MD5, SHA-1, SHA-256, SHA-384, SHA-512
- Number of possible connections (VPN connection): 20
- Password protection
- Address conversion: NAT/NAPT
- Connection to SINEMA RC



# SCADA FOR POWER ENGINEERING LAB







Under the heading Supervisory Control and Data Acquisition (SCADA), we mean the real-time monitoring, control and data acquisition of technical processes. In electrical power engineering, SCADA is used for everything from power generation and transmission all the way to safety protection and energy use.



# SCADA FOR POWER LAB IN THE SMART GRID



Under the heading Supervisory Control and Data Acquisition (SCADA), we mean the real-time monitoring, control and data acquisition of technical processes. In electrical power engineering, SCADA is used for everything from power generation and transmission all the way to safety protection and energy use.

SCADA permits process data to be visualised and modified. Measured values are displayed on the screen in real time. Control signals can be adjusted during the process. The SCADA system can also automatically control the process. The recording of measurement values permits future process planning and economic optimisation. The system can be remotely controlled in local access networks (LAN) as well as via the internet.

SCADA for the Power Engineering Lab is a software designed for the control and monitoring of power engineering systems. Inside the software, all measurement values and operating states can be displayed on measuring devices within the system in real time. Critical parameters and signals can be controlled by the software.

The measured values and operating states of the devices can be selected, recorded and plotted over time. Signal evaluation and export are also possible.




• SCADA NET

• SCADA Remote

• SCADA Logger

• SCADA PLC

• SCADA Panel Designer



The SCADA Designer is used to create user interfaces. The viewer is the SCADA system for operating and monitoring the individual systems.

### Features of the software

#### • SCADA Designer

- Freely configurable user interfaces
- Symbolic arrangement of all of the Lucas-Nuelle power engineering equipment
- Standardised electronic circuit symbols for circuit visualisation
- Individually configurable list of values to display any number of measurement values
- Display of measurement values and operating states in real time
- Implementation and analysis of smart grids
- Design of multiple worksheets per system

#### • SCADA Viewer


- Total control of the systems
- Analysis of smart grids
- Display of measurement values and operating states in real time
- Configure files using SCADA Designer
- Templates, i.e. sample files for all experiments
- Multiuser capable



# SCADA REMOTE CONTROL



- Tablet Mode
- Worksheets (Tabs)
- Multiuser



## Comfortable monitoring and control of the SMART GRID with different end users (loads)

- Tablet mode
- Structured operation thanks to suitable worksheets:
  - Overview of the whole system
  - Operating the individual system
- Connection via WiFi
- Connection via Internet
- Simultaneous access from all computers



• Encryption

• Firewall

• Security Router



## SO2805-4B: Course "Cyber Security in automation and power engineering technology"

In modern power grids, the subject of cyber security is indispensable. All of the standard security measures used to combat cyberattacks on power engineering systems are covered with a host of exercises.

## Training contents

- Code of conduct for operating systems
- Physical measures
- Configure a Security LAN Router
- DHCP Server
- Firewall
- Open VPN
- Analyse network protocols
- Secure Shell (SSH)
- HTTP(S)
- Remote control with Sinema
- Access control / restriction
- Authentication / enable
- Encryption
- Certification

# SCADA NET




• SCADA Client Server

• SCADA OPC

• Cyber Security

• SCADA IEC 61850



OPC Client

Server: IN OPC Server for SCADA

Group	Name	Type	Value	Quality	Timestamp	Access	ID
Group 1	[X] Apparent current in phase L1	REAL	0	Good	01.12.2017 15:32:25	R	[97] Time Over Current Relay CO3301-4L([X],00) Apparent current in phase L1
Group 1	[Y] Apparent current in phase L2	REAL	0	Good	01.12.2017 15:32:25	R	[97] Time Over Current Relay CO3301-4L([X],01) Apparent current in phase L2
Group 1	[Z] Apparent current in phase L3	REAL	0	Good	01.12.2017 15:32:25	R	[97] Time Over Current Relay CO3301-4L([X],02) Apparent current in phase L3
Group 1	[X] Voltage V1.1-N	REAL	232,6815	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],00) Voltage V1.1-N
Group 1	[Y] Voltage V1.2-N	REAL	212,3038	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],01) Voltage V1.2-N
Group 1	[Z] Voltage V1.3-N	REAL	224,6635	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],02) Voltage V1.3-N
Group 1	[X] Voltage V1.1-L2	REAL	432,8106	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],03) Voltage V1.1-L2
Group 1	[Y] Voltage V1.2-L2	REAL	398,5500	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],04) Voltage V1.2-L2
Group 1	[Z] Voltage V1.3-L1	REAL	398,5575	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],05) Voltage V1.3-L1
Group 1	[X] Current L1	REAL	0,172017	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],06) Current L1
Group 1	[Y] Current L2	REAL	0,146506	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],07) Current L2
Group 1	[Z] Current L3	REAL	0,134773	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],08) Current L3
Group 1	[X] Neutral Current	REAL	0,135544	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],09) Neutral Current
Group 1	[Y] Apparent power L1	REAL	40,46961	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],10) Apparent power L1
Group 1	[Z] Apparent power L2	REAL	34,50452	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],11) Apparent power L2
Group 1	[X] Apparent power L3	REAL	30,33921	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],12) Apparent power L3
Group 1	[Y] Active power L1	REAL	22,80012	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],13) Active power L1
Group 1	[Z] Active power L2	REAL	-8,46728	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],14) Active power L2
Group 1	[X] Active power L3	REAL	-8,27730	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],15) Active power L3
Group 1	[Y] Reactive power L1	REAL	-8,34271	Good	01.12.2017 15:32:24	R	[00] BP-Power Quality Meter CO327-1S([X],16) Reactive power L1

SMART  
GRID  
MICRO



## • SCADA Remote Client / Server

- Monitoring and operating all systems on every PC inside the laboratory
- The power engineering laboratory in the cloud

## • SCADA OPC Client

- Connection of external equipment, e.g. PLC

## • SCADA OPC NET Server

- Real-time connection to e.g. MATLAB®/Simulink® and LabVIEW via the OPC server

## • Cyber Security

- Restricting connections  
Access Control (Black / White List)
- Encryption

## • Additionally supported protocols:

- SCADA IEC 61850 Client  
(connection of external equipment, e.g. PMU)
- TCP/IP Client/ Server
- MODBUS
- SML (Smart Message Language)
- HTTP






# SCADA TOOLS



• SCADA Logger

• SCADA Panel Designer

• SCADA PLC



## • SCADA Logger

- Plotting graphs of measurement values and signals over time
- Processing, analysing and exporting graphs
- Scaling values

## • SCADA Panel Designer


- Design and configure one's own user interfaces

## • SCADA PLC

- Integrated Soft PLC (IEC61131 compliant)
- Access to all values and signals in the smart grid
- Automatic generation of variable lists
- Monitor variables

# POWER GENERATION WITH RENEWABLE ENERGY






The amount of renewable energy compared to fossil fuels like coal, oil, and gas is increasing more and more worldwide. The technical possibilities to utilise them are also on the rise, thanks to innovative concepts and engineering. Solar energy, wind power, hydrogen and biomass are well established and utilisable as environmentally friendly energy sources. Fluctuations in power generation are offset thanks to energy management, energy storage technologies and grid sector coupling. To be able to continue this trend and achieve the energy revolution, well-trained engineers and technicians will be needed all over the world.



# PROFESSIONAL PHOTOVOLTAIC SYSTEMS – MODERN PV SYSTEMS OPERATING IN GRID-PARALLEL OPERATION



The set-up of PV systems is explored realistically in grid-parallel operation mode. For electricity grid stabilisation, techniques are taught involving derating the inverter and applying the regulatable local grid transformer. Theoretical knowledge, engineering know-how and PC-based evaluation of the measurement data are covered in detail by the photovoltaics professional multimedia course in conjunction with SCADA power lab software.

## Training contents

### Investigating solar modules

- Recording daily and annual solar irradiance
- Explore optimum alignment of solar modules (boosting energy yield)
- Recording solar module characteristics

### Setting up PC systems in off-grid operating mode

- Measurement of energy generated by a PV system
- Derating the power of the PV inverter
- Determine the efficiency of the grid inverter
- Control operating response of the grid inverter, MPP

tracking

- Recording the yield data using the solar emulator
- Investigating the response of the PV system to a power failure
- Economic efficiency of photovoltaic systems

### Voltage regulation in the distribution substation

- Substation distribution transformer
- Derating the power of the PV inverter
- Automatic voltage regulation in the distribution substation
- Integration of modern PV systems within the SMART grid

# INVESTIGATING BATTERY STORAGE UNITS WITH PV SYSTEMS



Take a look at the video on the subject!



## Investigating battery storage units with PV systems


An electrochemical energy storage unit with a photovoltaics system strives to achieve a shift of electricity generation into the periods of power consumption or to shift the power consumption into the periods of power generation. For this to happen, the available solar energy must be generated and then stored to make it available for use when power is needed. The most important features of an electrochemical energy storage unit are therefore:

- Boosting intrinsic power consumption
- Power supply security thanks to emergency power

## Training contents

- Design and installation of the battery storage unit
- Putting the energy storage unit into operation
- Interaction between PV system and energy storage unit
- Boosting power consumption thanks to energy storage unit

# ADVANCED PHOTOVOLTAICS – PROJECT WORK WITH INDUSTRIAL COMPONENTS



The training system provides for realistic simulation of solar irradiance over time. Also without any sunshine in the laboratory, practical experiments can be performed with the aid of emulators. Theoretical knowledge and know-how are imparted, and PC-based evaluation of the measurement data is evaluated using the Advanced Photovoltaics multimedia course.

## Training contents

### Investigation of solar modules

- Exploring optimal alignment of solar modules
- Recording solar module characteristics
- Investigating response during switch-off
- Investigating how the bypass diodes work
- Become familiar with different solar module connection types

### Set-up of PV systems in off-grid operating mode

- Installation of PV systems
- Set-up and test of an off-grid (standalone) PV system in direct operation
- Set-up and test of an off-grid (standalone) PV system in storage mode

- Set-up and test of an off-grid (standalone) PV system for generating
- 230 V AC voltage

### Set-up and test of a grid-parallel PV system

- Installation, set-up and testing of a PV system with grid feeding
- Measurement of a PV system's generated energy
- Determining the efficiency of the grid inverter
- Investigating the response of a PV system to a power failure



# SOLAR PUMPING SYSTEM



## Solar pumps for an autonomous water supply

The combination of the solar pump system with the photovoltaic hybrid system permits the pumping of well water even without any sunshine because this hybrid system is also equipped with a battery storage unit. Besides pumping water, additional AC consumers can be supplied via the hybrid system. Here it is important that the components are trimmed to the corresponding requirements and to prioritise parameter configuration.


## Training contents

- Distinguish between different solar pump systems
- Planning solar pump systems
- Measurement of flow rate
- Measurement of daily volume
- Investigating the operating response for different irradiance levels and shadings
- Investigating response with different irradiance durations per day
- Recording characteristics and calculating efficiency of the pump and the entire system

# WIND POWER PLANTS (TURBINES)



Take a look at the video on the subject!



## Double-fed asynchronous generators (DFIG)

The equipment set permits the study of modern wind power turbines with "double-fed asynchronous generators". Wind can be realistically simulated using the servo machine test system and the "WindSim" software. Thanks to a PC connection, comfortable operation and visualisation are guaranteed while experimenting. The associated "Interactive Lab Assistant" multimedia course covers the theoretical background information and provides support in the experiment procedure and in the measurement data evaluation.

## Training contents

- Understanding the design and function of modern wind power plants (turbines)
- Exploring the physical fundamentals going "from wind to shaft"
- Become familiar with different wind power plant concepts
- Setting up and putting into operation of a double-fed asynchronous generator
- Generator operation during fluctuating wind forces and regulation of output voltage and frequency
- Determining the optimum operating points under fluctuating wind conditions
- Investigating the operating response to grid faults
- "Fault ride-through"

# SMALL WIND TURBINES



## Electricity for a decentralised power supply

Small wind turbines with power of up to 5 kW are used today for decentralised power supply. These turbines generate DC voltage. This power can be stored in batteries using charge controllers. AC voltages are generated using inverters for the operation of power system loads. The effect of wind force and the mechanical set-up of wind power turbines can be emulated realistically with the servo machine test system and the "WindSim" software.

## Training contents

- Understanding the design and operation of small modern wind turbines
- Exploring the physical fundamentals going "from wind to shaft"
- Become familiar with different wind power system concepts
- Setting up and putting into operation a small wind power generator
- Operation with fluctuating wind forces in storage mode
- Energy storage
- Power system optimisation
- Set-up of an off-grid power plant for the generation of a 230V AC voltage
- Hybrid systems for self-sufficient power supply



# THE EXPANDABLE HYBRID PHOTOVOLTAIC SYSTEM



## The Expandable Hybrid Photovoltaic System

The training system permits a realistic set-up of a hybrid photovoltaic system using industrial components. The fault-protected terminals and safety connections help provide a safe environment for operating the system. Complicated energy flows within the hybrid system are visualised graphically and evaluated with the aid of SCADA. Off-grid, grid-connected and uninterruptible power supply (UPS) operating modes can be simulated using the compact training system. The experiments are performed in the lab using a solar field emulation. That means reproducible experiment results are obtained even without any sunlight.

## Training contents

- Configuration of the charging characteristic for the accumulator
- Efficiencies of the system components
- Operating principles of an inverter
- Dimensioning the system components
- Set-up and configuration of the components
- Consideration of different operating modes: Off-grid, grid-connected and UPS operation
- Analysis of complex energy flows with SCADA
- Expandable with the small wind turbine to create a microgrid
- Hybrid systems for self-sufficient power supply



#### Real components as expansion

The training system can be combined with the small wind turbine and solar pump training systems to make a microgrid. Optionally the system can be expanded by adding a real PV and wind power turbine system to deploy the training system outside of the laboratory.

#### Sensible expansion for the hybrid photovoltaic system

- Small wind turbine system (EWG2)
- Solar pump (EPH2.4)
- Solar module CO3208-1X

Order no. EPH 2.4    Order no. Solar module CO3208-1X  
Order no. EWG 2

# ADVANCED FUEL CELL TECHNOLOGY




## Self-sufficient power supply with fuel cells

The generation of electrical power with the aid of fuel cells is developing more and more into an essential area with a multitude of technical applications in electrical and automotive engineering. The experiment system makes it possible to safely explore a host of interesting subjects on how to work with hydrogen and fuel cells and is suitable for demonstrations and for hands-on practical experience. Animated theory, experiment instructions and results are realised with the aid of the "Interactive Lab Assistant".

## Training contents


- Design and operation of fuel cells
- Design and operation of an electrolyser
- Design and function of a metal hydride canister
- Thermodynamics of fuel cells
- Characteristics and power curves of fuel cells
- Efficiency
- Necessary components for a self-sufficient power supply
- Power electronics and voltage conversion





### "Interactive Lab Assistant"

- Step-by-step multimedia instructions
- Demonstrating physical fundamentals using easy-to-understand animations
- Test learning progress using the questions from the evaluation tool
- PC-based evaluation of measurement data
- Start virtual measuring instruments directly from the experiment instructions



50 VA fuel cell stack

### Fuel cell stack


- 50 VA stack
- Flow-rate meter for hydrogen feed line
- Fan with variable speed to ventilate fuel cells
- Measurements of all relevant variables

### Benefits

- Conveying theoretical knowledge and practical know-how using the "Interactive Lab Assistant" multimedia course
- Easy introduction to the subject of fuel cells
- Safe experimenting with hydrogen
- 50 VA fuel cell stack
- Connection terminal for hydrogen pressure tank
- Powerful electrolyser
- A host of loads
- Variable load for recording characteristics

# POWER GENERATION




A close-up, low-angle view of a large industrial machine, likely a generator, with a prominent circular opening and complex internal components. The machine features a large, dark, cylindrical body with a circular opening in the center. Inside this opening, a complex arrangement of metal parts, including a large, curved, yellowish-brown component, is visible. The machine is surrounded by numerous thick, black, flexible hoses or cables that are bundled together and run along the side of the machine. The lighting is dramatic, with strong highlights and deep shadows, emphasizing the metallic textures and the intricate design of the machinery.

Three-phase synchronous generators are used for power generation in many types of power station such as biogas plants and hydroelectric power plants as well as all conventional power stations using fossil fuels. Precise knowledge of the machinery is required not only for manual and automatic synchronisation, but also for power factor ( $\cos\phi$  control) and automatic power control. In standalone off-grid and grid-connected mode, there are also additional challenges. Here it is generator protection against internal and external faults which always plays an essential role.



# AUTOMATIC GENERATOR CONTROL AND SYNCHRONISATION




## Manually activated synchroniser circuits

Electrical power is primarily generated by three-phase generators. This is true for conventional steam and hydroelectric power plants as well as for power generating sets and wind power generators. In addition to the basic experiments on three-phase synchronous generators, a variety of experiments are carried out on manually activated synchroniser circuits.

## Training contents

- Dark lamp circuit
- Bright lamp circuit
- 2 bright 1 dark lamp circuit
- Active power generation
- Lagging reactive power
- Leading reactive power




### Automatic synchronisation circuits, automatic power and power factor control

In addition to the experiments on automatic synchroniser circuits, experiments are also conducted on automatic power factor ( $\cos\phi$ ) and power control. That means a power station can be simulated in off-grid standalone mode and grid-connected mode.

### Training contents

- Automatic synchroniser circuits
  - Putting into operation and configuring the automation device
  - Synchronisation in testing mode
  - Synchronisation on the real power system
  - Operating response of the automation device in the event of faulty programming
- Automatic power factor control
  - Parameter configuration of the automatic  $\cos\phi$  controller
  - Synchronisation of the generator to the grid
  - Automatic  $\cos\phi$  control of the synchronous generator
  - Automatic  $\cos\phi$  control of the grid
- Automatic power control
  - Parameter configuration of the automatic power controller
  - Synchronisation of the generator to the grid
  - Response of power controller to setpoint changes and disturbances
  - Sensitivity and action direction of the power controller

# POWER STATIONS



## Emulation of different power stations

In the experiments, the following power station types are explored and compared to one another on the basis of their typical operating characteristics and parameters. Also the pump storage power station is examined in more detail as an energy storage unit in the smart grid.

- Lignite-fired power plant
- Hard coal-fired power plant
- Gas turbine power plant
- Gas and steam-turbine power plant
- Biogas combined heat and power plant
- Nuclear power station
- Hydroelectric power plant
- Pump-storage power plant

## Training contents

- Synchronisation equipment
  - Putting a multifunction relay into operation
- Generator operation
- Grid synchronisation
  - Configuring the parameters of a multifunction relay
  - Automatic synchronisation
- Manual power control in generator and motor mode
- Automatic generator control using SCADA
- Power stations
  - Types of power stations
  - Typical characteristics and parameters
  - Commissioning and operating different power station types
  - Explore how power stations operate





24 h Power Cycle - CO3301-5L01



Coal-Fired Power Plant - CO3301-5L02



Gas-Fired Power Plant - CO3301-5L03



Biogas CHP - CO3301-5L04




Nuclear Power Plant - CO3301-5L05



Hydroelectric Power Plant - CO3301-5L06

# GENERATOR PROTECTION



## Multifunction relays

Effective generator protection against internal and external faults requires the use of a host of protective measures and devices. The time overcurrent protection forms the back-up protection for the generator and can also be used for the detection of external faults such as short-circuit and overloading. Faults to ground are detected with the stator earth fault protection. The "EGP" experiment series on generator protection is rounded off with an exploration of reverse power protection and unbalanced load protection as well as overvoltage/undervoltage protection.

## Training contents

- Time overcurrent protection
- Unbalanced load protection
- Reverse power protection
- Over and undervoltage protection
- Stator earth fault protection



### Generator differential protection

The generator differential protection which detects internal faults like short-circuit, winding and interwinding faults or double line-to-ground faults serves as the primary protection device.

#### Training contents

- Calculating the tripping values of the protection mechanisms
- Fault detection within the protection range
- Testing the tripping and the deexcitation in the event of faults inside and outside the protection range
- Disconnection and deexcitation of the generator
- Measurement of the tripping currents of the protection device for balanced and unbalanced faults
- Comparing the measurement values with the set parameters

Order no. EGP 2



### Rotor earth fault protection

The rotor earth fault protection is used to determine earth faults inside the excitation circuit of synchronous machines.

#### Training contents


- Putting the synchronous generator into operation
- Investigation of a rotor earth fault during normal operation
- Measurement of the rotor earth fault current
- Rotor earth fault relay during earth fault operation
  - Connection and testing the rotor earth fault relay
  - Presetting different rotor earth-fault short circuits
  - Testing the fault signalling and the disconnection process

Order no. EGP 3



# TRANSFORMERS






Transformers are used in power engineering to connect different power grid voltage levels with each other. In transformer stations, the electricity of the regional distribution system with the medium voltage of 10 to 36kV is transformed to the 400 or 230 V used in the local transforming substation for the purpose of supplying power to lower voltage end customers. The heart of a substation is the transformer, which needs protective equipment. By carrying out hands-on measurements and fault simulations on the training system, students gain an understanding of the complexity of such systems in the classroom.



# INVESTIGATIONS ON TRANSFORMERS



## Transformers


In power engineering, transformers are used to connect different power grid voltage levels to each other. In the experiments, we cover the transformer equivalent circuit diagram

## Training contents

- Transformer equivalent circuit diagram
- Multiphase transformer operating in no-load and short-circuit operation
- Multiphase transformer with resistive, inductive and capacitive load
- Parallel operation of multiphase transformers
- Current distribution for different vector groups
- Determination of zero impedance
- Investigating the transmission ratio



# TRANSFORMER PROTECTION



## Transformer differential protection

Use measurement techniques to explore differential protection for transformers (as of approx. 1 MVA) for different winding configurations (star, delta) in various vector groups and, depending on the star point treatment (floating, direct earth connection or via earth fault coil), in normal operation and in the event of a variety of different fault scenarios.

## Time overcurrent protection

The time overcurrent protection complements the protection measures of the transformer differential protection device. The time overcurrent protection safeguards the transformer from short-circuits outside the protection range and against overload.

Order no. ETP

## Training contents

- Detection and disconnection of transformer in case of internal faults
- Detection of peak inrush currents (RUSH) without disconnection
- Faulty triggering due to incorrectly dimensioned transformer
- Selection of tripping characteristic with the differential currents taken into consideration
- Configuring time overcurrent relay with the current transformation ratio taken into consideration
- Detection of tripping values for balanced and unbalanced faults
- Faulty tripping of the protection device due to transformer's switch-on response
- Transformer switch-on response in terms of protection

# CURRENT AND VOLTAGE TRANSFORMERS



## Current transformer for protection devices

Current and voltage converters are used in a wide variety of different jobs in electrical power engineering. These experiments investigate the power transmission response, the overcurrent limit factor, magnitude and phase angle errors e.g. for different loads. Furthermore, system requirements can be explored for standard operation, short-circuit, and unbalanced faults.

## Training contents

- Current transformer secondary current as a function of the primary current
- Impact of loads on current faults
- Testing the rated overcurrent factor (accuracy limit)
- Current transformer circuit in a three-wire power system
- Current transformer circuit in a four-wire power system
- Determination of residual current



### Voltage transformer for protective devices and equipment


The protection of system installations and system components is not only dependent on the protective equipment selected, but also on the correct detection and measurement of the smallest fault currents and voltages. Various measurement circuits are used for different star point configurations in order to be able to detect and locate potential faults.

### Training contents


- Voltage converter characteristics
- Calculation of voltage faults and class accuracies
- Impact of loads on the transformation ratio
- Three-phase voltage transformer in a healthy power system
- Three-phase voltage transformer in a power system with an earth fault on the primary side.



# POWER TRANSMISSION







High voltage grids are generally operated with voltages of 110 kV up to 380 kV, while cities and large industrial plants are supplied with 110 kV and 380 kV is selected for long-distance power transmission. The transmission line model is designed such that the model voltages are at a level between 110 V and 380 V. Different line lengths can be selected using corresponding overlay masks. Investigations on the training system can be carried out in no-load, in normal operation, in short-circuit mode, and with unbalanced faults including earth fault with and without compensation. Over and beyond this, it is possible to set up complex structures by connecting the transmission line models in parallel or in series configuration. The voltage feed can be carried out using a stiff power system with constant voltage and frequency or via a synchronous generator.

# HIGH VOLTAGE DC POWER TRANSMISSION




## Sustainable power transmission for the efficient and reliable power grids of the future

High voltage DC transmission (HVDC) is one method of transmitting electrical power with high DC voltage. HVDC technology serves in transmitting power using DC current over long distances. This is because, as of a certain distance and despite additional converter losses, HVDC features lower transmission losses than transmission via three-phase voltages. The high voltage DC transmission is also frequently used to transmit power over comparatively short distances when the power transmission cable is designed with very high capacitance per unit length. This is typically the case for deep-sea cables or even underground cables.

## Training contents

- Automatic control of the DC link voltage
- Reactive power provision without active power flow (STATCOM)
- Manual and automatic synchronisation with the grid
- Automatic active power control of the DVDC with power flow change
- Individual automatic reactive power control for both inverter stations
- Considering power loss for varying HVDC cable lengths
- Power supply via HVDC (black start) to a grid with passive loads
- Coupling wind turbines
- Investigating FRT response of HVDC systems





### Inverter station

- Active power control in both directions
- STATCOM operating mode
- Connection of synchronous generators, wind turbines and loads
- Coupling between grids with different frequencies
- Self-sufficient automatic control of reactive and active power, frequency, voltage
- Measurement and display of all system variables
- Manual and automatic synchronisation with active power grids
- Power transmission of up to 1000 W




### "Interactive Lab Assistant"

- Step-by-step multimedia instructions
- Demonstrating physical fundamentals using easy-to-understand animations
- Testing learning progress using questions with evaluation tool
- PC-based evaluation of measurement data
- Start virtual instruments directly from the experiment instructions
- Interactive demonstration of experiment set-ups
- Transfer measurement results to course via "Drag and Drop"

### Benefits

- Theoretical knowledge and know-how learned using the "Interactive Lab Assistant" multimedia course
- PC-based evaluation of measurement data
- Integration into the power engineering systems
- State-of-the-art technology with "fault ride-through"
- The microcontroller-operated control unit of the inverter station gives the system user-friendly operation and visualisation while doing the experiments
- Modern HVDC (Voltage Source Converter, VSC)
- SCADA control - monitor and control the inverter stations within the smart grid

# TRANSMISSION LINES



## Investigations of three-phase lines

For your own safety, the investigation of 380 kV and 110 kV transmission lines and their interconnection takes place on the lower voltage level without losing the properties of real high voltage lines. These realistic transmission line models of a 3880kV cable and a 110 kV cable switch automatically back and forth between different transmission line lengths when the overlay masks are put in place. There is also the possibility of configuring complex networks thanks to the use of different transmission cable models.

On three-phase transmission line models in parallel configuration, the power transmission parameters with feed-in from a rigid grid with constant frequency and voltage or with generator feed-in are measured and the operational relationships are evaluated both quantitatively and qualitatively.

Order no. EUL

## Training contents

- Capacitive and inductive power loss
- Phase shift, load distribution, power flow and voltage distribution
- Earth fault compensation
- Power and current distribution of a generator-fed wiring network
- Ferranti effect, charging power, critical length
- Resistive, inductive and mixed resistive-inductive load
- Determining the zero phase-sequence impedance
- Balanced and unbalanced short-circuits
- Star-point treatment and earth fault
- Overhead power line, transformer station and cable
- Difference between unregulated/regulated transformer
- Transformer with in-phase, quadrature and phase angle regulation
- Controllable substation transformer



EUL 1 – Investigations on three-phase transmission lines



EUL 2 – Parallel and series connection of transmission lines



EUL 3 – Transmission line with earth fault compensation



EUL 4 – Power transmission systems with synchronous generator



EUL 5 – Investigations on three-phase cables




EUL 6 – Combined network of cables and lines



EUL 7 – Controlling flow of power in meshed networks



EUL 8 – Load-dependent voltage regulation of a power transmission line





# LINE PROTECTION



## Line protection

Any failure affecting components in the power supply in lower, medium and high voltage power systems can have huge repercussions on the systems downstream and the power grid in general. Furthermore, these components are a valuable investment. The protective equipment is supposed to protect these components from the effects of electrical faults and help guarantee a reliable power supply to those consumers unaffected by this. It is essential that faults are detected immediately and reliably and selectively disabled.

## Training contents

- Measurement and configuration of protection relays
- Determining pick-up and drop-out values
- Determining operating delay time (base time)
- Relay response
- Set and test various characteristics



ELP 1 - Overcurrent time protection for lines



ELP 2 - Directional overcurrent time protection



ELP 3 - Overvoltage and undervoltage protection



ELP 4 - Directional power protection



ELP 5 - Earth fault voltage protection



ELP 6 - Protection for lines connected in parallel




ELP 7 - High-speed distance protection



# POWER DISTRIBUTION


A photograph of a power distribution station at sunset. The image features silhouetted high-voltage power lines, metal lattice towers, and large transformers against a bright orange and yellow sky with scattered clouds. A semi-transparent dark grey rectangular box is positioned in the upper left, containing the text 'POWER DISTRIBUTION' in white, bold, sans-serif capital letters. In the lower-left foreground, a small white label with the text 'TUC 11' is visible on a vertical structure.





The distribution of electrical power is performed in bigger switchgear systems almost exclusively using double busbar systems. These switching systems contain coupling fields for the connection of the two busbars, incoming feeders and outgoing feeders as well as measurement coupling fields. In the incoming, outgoing and coupling feeders there are power circuit breakers and one isolator in each busbar connection terminal. For safety reasons, the switching logic used here has to be strictly adhered to. The double busbar model contains all functions which are relevant for actual work on the job. Integrated measurement equipment for currents and voltages makes it possible to immediately assess and analyse switching operations.

# THREE-PHASE DOUBLE BUSBAR SYSTEM




## Centrally distributed and controlled

Double busbars serve as centralised trunks of electrical power because all of the incoming and outgoing lines are connected to the busbars. Busbars are comprised of in-feeders, out-feeders, coupling and converter panels. In the Lucas-Nuelle equipment set, these functions are combined into switchgear panels which contain circuit breakers, isolators and measuring devices.

## Training contents

- Basic circuitry of a three-pole double busbar system
- Three-phase double busbar system with load
- Busbar switching without branch interruption
- Explore switching algorithms for different switching operations
- Busbar coupling





### Overcurrent protection for busbars

Thanks to busbar differential protection, the incoming and outgoing current undergo summation using a current transformer. In the case of residual currents, the tripping criteria are determined on the basis of the characteristic sensitivity.


### Training contents

- Detecting currents in normal operation
- Detecting currents in 1-pole, 2-pole or 3-pole short-circuit
- Faults outside the protection range
- Protection response to faults inside and outside of the switchgear system



# ENERGY MANAGEMENT



An aerial night photograph of a city skyline, likely Dubai, featuring numerous illuminated skyscrapers and a complex network of highways with light trails from traffic. The scene is viewed from a high angle, looking down on the city.

A rational utilisation of energy is becoming ever more important due to economic and environmental needs. The experiments on manual and automatic reactive power compensation, as well as experiments on reducing the peak load by measurements with an active current and maximum counter, demonstrate how the grid load can be reduced or evenly distributed over 24 hours. For the measurement technology to be used effectively, the grid and the connected consumers must be analysed. Therefore, static, dynamic, symmetrical and asymmetrical loads can be examined in depth in the individual experiments. Furthermore, the protection of electrical consumers is an important part of the training.



# ENERGY MANAGEMENT



## Complex loads, energy consumption measurement and peak load monitoring

The experiments on reducing peak load through measurements using active current meters and maximum meters show how the power grid load can be reduced or distributed evenly over 24 hours. The prerequisite for the effective use of measurement technology is an analysis of the grid and all connected loads. For that reason, static, balanced and unbalanced loads are studied in detail in the individual experiments.

## Training contents

- Three-phase consumer in star and delta circuit configuration (R, L, C, RL, RC or RLC load)
- Measurement with active kWh and reactive power demand kVArh meters
  - for balanced and unbalanced RL load
  - for phase failure
  - for overcompensation (RC load)
  - for active load
  - for energy-flow reversal
- Determination of the first and second power maxima
- Determination of a power maximum for unbalanced load
- Recording of load response characteristics





### Dynamic loads

A three-phase asynchronous (induction) motor coupled with the servo machine test system is used as a dynamic load. The active and reactive power ( $\cos\phi$  of the motor) depend on the motor's load and for that reason fluctuate. The servo machine test system can also operate the asynchronous motor so that active power is delivered to the three-phase power system.

### Training contents

- Dynamic three-phase load (asynchronous motor)
- Power measurement for power-flow reversal

Order no. EUC2



### Manually activated and automatic reactive power compensation


In reactive power compensation of three-phase systems, the unwanted reactive power including the associated higher current is reduced. This entails adding capacitive loads at the central feeding point to all inductive loads. The leading reactive power counteracting this is as close to the same magnitude as possible as the installed lagging reactive power. This means unwanted reactive power is reduced and all the systems and components needed for the provision and transmission of reactive current do not have to be unnecessarily large.

### Training contents

- Putting the asynchronous machine into operation and recording the characteristic values
- Calculation of compensation capacitors
- Compensation with different capacitors
- Determining the stage power
- Manually activated reactive power compensation
- Automatic connection detection of the reactive power controller
- Automatic reactive power compensation

Order no. EUC3

# PROTECTION OF ELECTRICAL LOADS



## Effective motor protection - precautionary maintenance

Motor management systems are used in modern automation systems and offer the possibility of providing optimum protection, control and monitoring of drive systems and installations. They can detect, for example, motor temperature, voltage or current. By including connection of a primary process automation using field bus systems (e.g. PROFIBUS), motor operation is more transparent. Thus the motor's capacity utilisation and energy consumption can be determined remotely without having to be on site.

## Training contents

- PC-based commissioning of the motor management system
- Programming the functions direct start, star-delta start-up, start-up of pole changing multispeed motors, motor protection
- Configuring the parameters of overload variables and the disconnect response to different loads
- Measurement of dynamic processes during starting
- Precautionary maintenance





### Three-phase asynchronous (induction) machines

Squirrel-cage motors are designed for steady-state load operations. Changes in the load but also excessive starting currents lead to impermissible motor heating. Sensors monitor the temperature and the current consumption of the motor. They activate the protection devices such as the motor circuit breaker, motor protection relays or thermistor relays.


### Training contents

- Selection, installation and configuration of various motor protection systems
- Motor circuit-breaker
- Motor protection relay
- Thermistor protection
- Effect of different operating modes on motor heating
- Protection systems' tripping characteristics
- Protection against impermissible load states

# FUNDAMENTALS OF POWER ENGINEERING








Using the training systems from Lucas-Nülle, you can teach all the necessary skills and expertise in practical exercises and projects. In digital learning units, the systems convey the fundamentals and demonstrate how electrical machines work, allowing you to explore typical machine operating characteristics.

# UNITRAIN – DESIGNED FOR MOTIVATIONAL LEARNING


## One system covers all technical vocational training

Knowledge and the know-how to operate technical systems continue to make quantum leaps in complexity in ever shorter time frames. This is the daunting challenge facing the vocational training of today and tomorrow. To meet this challenge, the UniTrain system helps with its computer-assisted, multimedia experiment and training system for vocational training in electrical engineering and electronics. The linking of learning programs with a fully fledged electrical laboratory in a single mobile interface permits theory and practice to be taught anywhere and at any time.



### 2 Virtual instruments

120 virtual instruments available to control the interface



### 1 UniTrain interface

Measurement and control interface:  
Analog / digital measurement inputs and voltage sources for the experiments







### 3 LabSoft course

Over 130 learning programs with experiment hardware from all areas of electrical engineering




## Benefits

- Universal training system
- Mobile and deployable anywhere
- Promotes individual learning
- Building skills through hands-on experiments
- Motivational boost thanks to a variety of challenges
- Safer experimenting thanks to extra-low voltage
- Learning programs combine theory and practice
- Covering the entire field of electrical engineering

### Product video

Convince yourself of the benefits



### 4 Experimenter

Accommodates experiment cards and additional voltage outputs (three-phase current)

# DC TECHNOLOGY



**UNITRAIN**  
SYSTEM

## Current, voltage and resistor circuits



Current, voltage, resistance – learn the basics of electrical engineering hands-on by doing practical work. In the course, the basic laws of electrical engineering are explored in numerous, easy-to-understand experiments supported by animations and text material.

## Training contents

- Basic terminology: electrical charge, electrical field, current, voltage, resistance and power
- How to operate power sources and measuring equipment
- Experimental verification of Ohm's law and Kirchhoff's laws
- Measurements on series circuit, on parallel circuit and voltage dividers
- Recording the characteristics of variable resistors (LDR, NTC, PTC, VDR)
- Investigating coils and capacitors in a DC circuit
- Fault finding
- Course duration: approx. 8 h (of which 1.5 h fault finding)



# AC TECHNOLOGY



## UNITRAIN SYSTEM



### Inductance, capacitance, oscillating circuit/transformer

How do coils and capacitors respond when connected to AC current? What is an oscillating circuit and how does a transformer work?

### Training contents

- Parameters of periodic and sinusoidal signals
- Working with vector diagrams
- Experiment determination of coil and capacitor reactance
- Explaining active, reactive and apparent power
- Determining the frequency response of simple filter circuits
- Electrical oscillating circuit: resonance, quality, bandwidth and cut-off frequency
- Measurement of frequency response of series and parallel oscillating circuits
- Load, no-load and short-circuit measurements
- Frequency response of transformers
- Fault finding
- Course duration: approx. 8 h (1 h of which fault finding)

# THREE-PHASE TECHNOLOGY



**UNITRAIN**  
SYSTEM

## Star and delta configuration, three-phase generator

Three-phase current has a dominant role in power transmission and drive technology, in generating electrical energy and transporting it, and also in the operation of powerful industrial machinery.


## Training contents

- Measurements of phase and line quantities in three-phase systems
- Determine experimentally the relationships between line and phase voltages (phase-to-phase)
- Resistive and capacitive loads in star and delta configuration
- Phase displacement between line and phase voltages
- Measurement of the compensation currents in the neutral conductor
- Effects of neutral conductor interruptions
- Current and voltage measurements in the event of balanced and unbalanced loads
- Power measurement of a three-phase load
- Course duration: approx. 4 h

Order no. CO4204-4H



# MAGNETISM/ELECTROMAGNETISM



**UNITRAIN**  
SYSTEM

## Magnetic field, induction, components



Magnetism and electricity are closely intertwined. Many components in electrical engineering use electromagnetic effects.

## Training contents

- Magnetism: magnetic poles, magnetic fields, field lines and field strength
- Hard and soft magnetic materials, hysteresis
- Investigating the magnetic field of a current-carrying conductor
- Investigating the magnetic field of a coil (air-filled coil, coil with core)
- Electromagnetic induction and Lorentz (electrodynamic) force
- Transformer design and function
- Investigating a transformer operating at various loads
- Design and function of electromagnetic components: relays, reed switches, Hall switches
- Investigation of application circuits
- Course duration: approx. 4 h

Order no. CO4204-4A

# THREE-PHASE TRANSFORMER



**UNITRAIN**  
SYSTEM

## Design types, connection types, load response

Transformers are electrical machines that serve to transform AC or three-phase currents to higher or lower voltages. Three-phase transformers play a particularly significant role in the transmission of electrical power.



## Training contents

- Become familiar with the transformer principle and the equivalent circuit diagram
- Investigate load response of single-phase transformers in single and four-quadrant operation
- Recording current and voltage with and without load
- Investigating the transmission ratio
- Become familiar with three-phase transformers
- Investigating load cases for various vector groups
- Investigation of unbalanced loads in connection with different vector groups
- Determining the short-circuit voltage
- Course duration: approx. 3 h

Order no. CO4204-7Y



# POWER SYSTEMS AND SYSTEM MODELS



## Transient processes in DC and AC power systems


In existing low, medium and high-voltage power grids, there are two different processes that arise: steady-state (constant loads) and transient responses. These typical transient responses which arise during the generation and distribution of electrical power require special attention and are simulated in experiments using safe extra-low voltage.

## Training contents

- Become familiar with the significance of switching processes in power systems and grids
- Assess the effects (hazards) of switching processes in power grids
- Experiment-based investigation of current and voltage characteristics during DC voltage switch-on
- Investigate the effect of various loads (R, L, C) on the signal characteristic
- Experiment-based investigation of the current and voltage response during AC voltage switch-on
- Investigation of the effects of switch-on and switch-off time point
- Signal response measurements at different switch-off times
- Determine the optimum switching time
- Analyse switching complex loads (R, L, C) on and off at different times
- Course duration: approx. 3.5 h

Order no. CO4204-3B

# PHOTOVOLTAICS



**UNITRAIN**  
SYSTEM

## Sunny prospects with the photovoltaic course

In times when energy costs are skyrocketing and environmental awareness is high, photovoltaics constitute an extremely interesting alternative to conventional energy generation. With the photovoltaic course, not only do you become familiar with and study the basics of solar cells but a photovoltaic system is also simulated in direct or in storage operating mode.

## Training contents

- Become familiar with how solar cells operate
- Record the characteristics of a solar module
- Explain the dependencies of the solar module's current and voltage on the temperature, irradiance and angle of incidence
- Become familiar with series, parallel and other circuit configuration types used for solar cells
- Become familiar with how solar cells are manufactured
- Explain various types of solar cells
- Become familiar with the design of a solar battery
- Become familiar with various types of solar power plants
- Design of a microgrid with solar batteries

Order no. CO4204-3A

# FUEL CELL TECHNOLOGY



**UNITRAIN**  
SYSTEM

## Design and operation of fuel cells

Renewable energies are already being considered as a solution for the anticipated energy scarcity to come in the 21st century. The fuel cell based on hydrogen is part of this solution. As a complementary technology, it will be used in future energy systems for the generation of clean energy from regenerative hydrogen.

## Training contents

- Become familiar with the operating principle and function of fuel cells
- Record characteristics of a fuel cell
- Explain electrochemical processes involved in electrolysis (Faraday's 1st and 2nd laws)
- Determine the Faraday efficiency and energy efficiency of a fuel cell
- Series and parallel connection of fuel cells
- Consideration of fuel cell power
- Become familiar with the principle and operation of the electrolyser
- Recording the UI characteristic of the electrolyser
- Determine the Faraday efficiency and the energy efficiency of an electrolyser

Order no. CO4204-3C



# ELECTRICAL POWER ENGINEERING

Smart Grid | Microgrid | Renewable Energies



**Training Systems Australia**

First in Vocational Training Equipment  
A Division of Pullman Learning Group

p +61 3 9557 7993  
e [info@trainingsystemsaustralia.com.au](mailto:info@trainingsystemsaustralia.com.au)  
w [www.trainingsystemsaustralia.com.au](http://www.trainingsystemsaustralia.com.au)  
a 300 Centre Road, Bentleigh, VIC, 3204